

INDEX MAPS.

T. 7N, R. 6E. 2nd Mer.

	7	7	7-6	6	6	6	
10	6	34	5	28	4	20	3
	34	34	38	38	33	18	2
9	7	33	8	27	9	22	10
	33	32	37	37	22	17	11
9	18	32	17	26	16	21	15
	32	31	26	26	21	17	14
8	19	31	20	26	21	20	22
	31	30	25	25	20	16	12
8	30	30	29	24	28	20	27
	30	29	24	24	19	15	15
8	31	29	32	24	33	19	34
	31	29	32	24	33	15	35
3	2	2	2	2	2	1	1

T. 8N, R. 6E. 2nd Mer.

	49	48	48	48	48	47	47
49	6	24	5	63	4	63	3
52	73	73	67	67	63	59	55
50	7	10	8	67	9	63	10
51	72	72	67	67	62	58	54
50	18	72	17	66	16	62	15
51	71	71	66	66	62	58	54
50	19	70	20	66	21	61	22
51	70	70	66	66	61	57	23
50	30	69	29	65	28	67	27
51	69	68	64	64	60	57	26
50	31	68	32	64	33	60	34
51	68	64	64	64	60	56	52
50	31	68	32	64	33	60	35
51	68	64	64	64	60	56	52
44	44	44	44	44-43	43	43	43

(F) The figures on the lines refer to the page.

Township N^o. 7 North, Range N^o. 6 East 2^d Mer. Ind^a

Township Lines.

South Boundary.

Bearings at cor. of P. Oak 4 ft. N, R.R. 6 ft 7 in

a Beech 16 in. dia bears S 29° W 12 m. dist. 8

a — — — — — N 67° E 20 s s

West on the S. Boundary of Sec. 36

15.00 a Brook 10 ft. wide course S 99° W

37.00 a Do 50 s s S 99° W

40.00 set of sec. post from which

a Beech 10 in. dia bears N 85° E 12 m. dist. 8

a Do 10 s s S 60° W 25 s s

47.50 a Do 24 s s

80.00 set post cor. of sect. 35 & 36 from which

a Beech 24 in. dia bears N 77° E 28 m. dist. 8

a Do 10 " " S 71° W 15 1/2 " "

Good farming land

West on the S. Boundary of Sec. 35

25.86 set post on the Indian Boundary from which

a W. Oak 24 in. dia bears N 59° E 20 m. dist. 8

a Maple 10 s s S 63° W 17 s s

Good farming land, timber Oak, Hickory &
Poplar. Surveyed in 1806 by

Arthur Hennie

Dep. Surveyor

40.00 set of sec. post from which Var. 7° 30' E.

a Beech 12 in. dia bears N 15° W 17 m. dist. 8

a Do 4 s s S 34° E 5 s s

44.50 a Do 12 s s

70.00 a Branch 15 ft. wide course S 99° W

80.00 set post cor. of sect. 34 & 35 from which

a Dogwood 6 in. dia bears N 61° W 22 m. dist. 8

a Beech 20 s s S 88° E 14 s s

T. 7 N., R. 6 E. I. Mer. Ind.

Soil land, timber Beech, Oak, Gum

West on the S. Boundary of Sec. 34

11.75 a Branch 10 ft. wide course S

40.00 set of sec. post from which

a Beech 8 in. dia bears West 70° N. dist. 8

a Do 15, " " S 78° E 27 " "

Soil land, timber Beech, Oak, Gum, Upr. Spice

59.50 a Branch 5 ft. wide course S

68.50 a Do 5 " " " S

80.00 set post cor. of sec. 33 & 34 from which

a Beech 24 in. dia bears N 45° E 13 ft. dist. 8

a Dogwood 4 " " S 40° E 12 " "

Soil land, timber Poplar, Sugar, Beech &

Upr. Spice, rich soil

West on the S. Boundary of Sec. 33

6.50 a Branch 5 ft. wide course S

9.90 a Walnut 24 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia bears N 85° E 27 ft. dist. 8

a Do 14 " " S 30° W 14 " "

Soil land, timber Beech, Upr. Spice, good soil

74.50 a Branch 4 ft. wide course N

80.00 set post cor. of sec. 32 & 33 from which

a Beech 8 in. dia bears S 31° W 8 ft. dist. 8

a Do 9 " " N 31° E 8 " "

Land as last noted

West on the S. Boundary of Sec. 32

9.25 a Branch 4 ft. wide course N

15.00 a Do 4 " " " N

31.00 a Do 4 " " " N

3

T.Y.N., R. C.D.Z. Mea. Ind.^a

- 40.00 set of sec. post from which
 a Beech 10 in. dia. bears S38°W20°s. dist. 8
 a Do 4, " " N20°W22 " "
 41.00 a Branch 14 in. wide course N
 58.00 a Do 4, " " N
 72.62 a Sycamore 72 " "
 80.00 set post cor. of sec. 31 & 32 from which
 a Hackberry 15 in. dia. bears N50°W22°s. dist. 8
 an Ash 4, " " S66°E19 " "
 First $\frac{1}{2}$ mile level, timber as before noted, $2\frac{1}{2}$
 mile low ground subject to overflow, Oak, Ash &

West on the S. Boundary of Sec. 31

- 10.00 Intersect the river & set post from which
 a Cottonwood 15 in. dia. bears S88°E150°s. dist.
 15.91 set post on right bank of river from which
 a Sugar 10 in. dia. bears N53°W27°s. dist. 8
 a Do 15, " " S60°W40 " "

- 33.12 set of sec. post from which
 a Beech 12 in. dia. bears S59°W20°s. dist. 8
 a Do 18, " " N39°E16 " "

- 73.12 Intersect W. Boundary at post cor. of T. 6^s R. 5^e
 6D. from which a Beech 20 N44°W14°s. dist. 8
 a Do 8 _____ " "

First $\frac{1}{2}$ mile low ground subject to overflow. $2\frac{1}{2}$ miles
 2° bottom, timber Beech & soil good. Hackberry
 1806 John M. Donald, Dep't Env't.

East Boundary.

North on the E. Boundary of Sec. 30

- 35.50 a Brook 50 ft. wide course S
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears S15°W8°s. dist. 8
 a Do 7, " " N45°W11 " "

S. of N., R. C. E. D. Mer. Ind.

- 67.80 to the port established on the Indian Boundary from which a Beech 8 in. dia bears South 5° Ms. dist. 8
 a Sassafras 18, , , North 6, ,
 Good farming land. Surveyed in 1806, by
 Arthur Henrie
 Dep. Surveyor.
- 80.00 set port cor. of sec. 25 & 36 from which (N. 6° W. 8)
 a Beech 8 in. dia bears S 33° E 24 Ms. dist. 8
 a Do 18, , , N 82° W 24, ,

North on the E. Boundary of Sec. 25

- 22.85 a Beech 15 in. dia.
- 40.00 set of sec. port from which
 a Beech 30 in. dia bears S 10° E 19 Ms. dist. 8
 a Do 6, , , N 16° W 25, ,
- 65.00 a Spanish Oak 24 in. dia.
- 80.00 set port cor. of sec. 24 & 25 from which
 a Hickory 18 in. dia bears S 11° E 16 Ms. dist. 8
 a Gum 40, , , N 11° W 11, ,
 Over wet Beech land, Upr. Spice

North on the E. Boundary of Sec. 24

- 19.50 a W. Oak 30 in. dia.
- 40.00 set of sec. port from which
 a Sugar 10 in. dia bears S 34° E 12 Ms. dist. 8
 an Ash 15, , , N 12° W 9, ,
- 49.40 a Maple 18, ,
- 57.29 a Brook 7 Ms. wide across S 47° W
- 80.00 set port cor. of sec. 13 & 24 from which
 a Hickory 8 in. dia bears N 86° E 9 Ms. dist. 8
 a Do 18, , , S 76° W 9, ,
 Over level land, timber Beech, Oak, Hickory,
 Gum &c. Upr. Spice

J.J.N., R.C.E.I. Mer. Ind.

North on the E. Boundary of Sec. 13

32.67 a Hickory 18 in. dia.

40.00 set of sec. part from which

an Elm 18 in. dia bears S72E12Mr. dist. 8

a Beech 10 " " " S82W16 " "

57.95 a Spanish Oak 40 in. dia.

80.00 set part on. of sec. 12 & 13 from which

a Beech 5 in. dia bears S17E10Mr. dist. 8

a Do 10 " " " N16E12 " "

Over level wet land, timber Beech, Hickory,
Oak &c.

North on the E. Boundary of Sec. 12

20.50 a Spanish Oak 18 in. dia.

40.00 set of sec. part from which

a Beech 6 in. dia bears N77E14Mr. dist. 8

a Do 6 " " " S49W20 " "

50.10 a Do 20 " "

63.50 a Creek 200 ft. wide common 99W

80.00 set part on. of sec. 11 & 12 from which

a Beech 7 in. dia bears N61E19Mr. dist. 8

a Do 13 " " " N32W31 " "

Over wet level land, timber Beech &c.

North on the E. Boundary of Sec. 1

40.00 set of sec. part from which

an Ash 15 in. dia bears S24E8Mr. dist. 8

a Hickory 8 " " " S10W7 " "

77.74 set part on. of S. 728N, R. 104⁷E. from which

a Beech 8 in. dia bears S24W4Mr. dist. 8

a Do 14 " " " S10W32 " "

Rolling Beech land, soil good

T. T N., R. 6 E. 2^o Mer. Ind.

North Boundary

West on the S. Boundary of Sec. 30, T 8 N, R 6 E

40.00 set of sec. post from which
a Beech 8 in. dia bears N 9 W 40°. dist. 8
a Do 30 s , , S 43 W 6 s ,

70.40 a Creek 15 ft. wide comes S

80.00 set post cor. of sec. 35 & 36 from which
a Beech 24 in. dia bears N 41 E 13°. dist. 8
a Do 7 s , , S 31 W 29 s ,

Over rolling land, timber Beech, Poplar, Spruce

West on the S. Boundary of Sec. 35, T 8 N, R 6 E

40.00 set of sec. post from which
a Beech 18 in. dia bears N 10 E 18°. dist. 8
a Do 8 s , , S 12 E 23 s ,

80.00 set post cor. of sec. 34 & 35 from which
a Beech 18 in. dia bears N 62 E 8°. dist. 8
a Do 12 s , , N 30 W 18 s ,

Sands & timber was last noted

West on the S. Boundary of Sec. 34, T 8 N, R 6 E

40.00 set of sec. post from which
an Ash 8 in. dia bears N 41 E 4°. dist. 8
a W. Walnut 8 s , , N 85 W 22 s ,

80.00 set post cor. of sec. 33 & 34 from which
a Sugar 8 in. dia bears N 79 E 30°. dist. 8
a Do 15 s , , N 81 E 14 s ,

Over level land rich soil, timber Sugar, Beech,
Poplar &c Under Spruce

West on the S. Boundary of Sec. 33, T 8 N, R 6 E

22.00 Intersect left bank of White River,
June 2^o 1819

T.T.N., R.C.O. T.M. Mer. Ind^a

East on the S. Boundary of Sec. 31, T8N, R6E
 0.75 a Branch 5 ft. wide course SE
 17.50 a Do 10 s s s SW
 33.50 a Do 4 s s s NW
 40.00 set of sec. part from which
 a Beech 6 in. dia. bears N23W80s. dist. 8
 a Do 20 s s s E83E26 s s
 49.50 an Oak 30 s s
 80.00 set part cor. of sec. 31 & 33 from which
 a Beech 15 in. dia. bears N39W190s. dist. 8
 a Do 10 s s s E59E00 s s
 Rolling 2nd rate land, timber Beech, Poplar, Oak,
 & Under Spice

East on the S. Boundary of Sec. 32, T8N, R6E
 0.35 an Ash 20 in. dia.
 40.00 set of sec. part from which
 a Beech 12 in. dia. bears S69E230s. dist. 8
 a Do 10 s s s N85W30 s s
 67.00 enter low ground
 70.00 a Pond 36 ft. wide SW
 80.00 set part cor. of sec. 32 & 33 from which
 a Beech 20 in. dia. bears S77W390s. dist. 8
 a Do 15 s s s N23E40 s s
 Rolling land, good soil, timber Beech, Poplar,
 Sugar & Under Spice

East on the S. Boundary of Sec. 33, T8N, R6E
 40.00 set of sec. part from which
 a Buckeye 19 in. dia. bears N75W240s. dist. 8
 a Do 10 s s s S38W18 s s
 49.00 Intersed right bank of White River, running
 from N. to S. 471 ft. wide, where a Buckeye

T.Y.N., R. 6. E. 2^o Mer. Ind.^a

3 in. dia. stands for Meander post from which
 a Locust 12 in. dia. bears N 40° W 9 ft. - dist. 8,
 a Sugar 4 " " " Y 31° W 16 " "
 Low ground, subject to overflow, soil rich, timbered
 Walnut, Hackberry; Under Pawpaws & Spice

West Boundary

North on the E. Boundary of Sec. 36, T.Y.N., R. 5 E
 16.49 a Run 30 in. dia.

40.00 set g. sec. post from which
 a Hackberry 6 in. dia. bears N 29° E 20 ft. - dist. 8
 a Do 5 " " " Y 83° W 26 " "

80.00 set post cor. of sec. 25 & 36 from which
 a Beech 15 in. dia. bears N 54° W - Ms. dist. 8
 a Do 10 " " " Y 34° W - " "
 Level land, soil rich, timber Sugar, Beech,
 Ash & Under Spice, Pawpaw, Oak

North on the E. Boundary of Sec. 25, T.Y.N., R. 5 E

8.00 a Run 30 ft. wide course N 90° W

20.50 a Branch 6 " " " Y 90° W

40.00 set g. sec. post from which
 a Beech 10 in. dia. bears S 28° W 6 ft. - dist. 8
 a Do 10 " " " Y 49° E 5 " "

49.27 a Do 24 " "

60.35 a Do 15 " "

80.00 set post cor. of sec. 24 & 25 from which
 a B. A. ... 18 in. dia. bears Y 60° E 4 ft. - dist. 8
 a Do 18 " " " Y 72° W 25 " "

Over level land, soil good & rate, timber Beech,
 Poplar, Ash & Under Spice. May 30. 1819

North on the E. Boundary of Sec. 24, T.Y.N., R. 5 E

T. 7 N., R. 6 E., 2^o Mer. Ind.^a

- 10.50 a Branch 6 in. wide course E
 35.50 a Do 3, " " E
 40.00 lot q.s.e. part from which
 a Beech 18 in. dia bears N 32° W 59 lbs. - dist. 8
 Broken brushy land, timber Oak, Beech &c. Upr.
 Spice, Oak, Ash, Sassafras 4°. 2°
 45.00 a Branch 3 in. wide course E
 54.00 a Do course E
 80.00 lot part cor. of sec. 13 & 14 from which
 a Beech 10 in. dia bears N 71° E 5 lbs. - dist. 8
 a Do 6, " " S 71° W 44, " "
 Land &c. the same as last noted
-

North on the E. Boundary of Sec. 13, T. 7 N., R. 6 E.

- 4.09 a Poplar 36 in. dia.
 40.00 lot q.s.e. part from which
 a Beech 10 in. dia bears N 20° E 15 lbs. - dist. 8
 a Do 12, " " S 9° W 16, " "
 Rolling land timber Oak, Beech, Hickory &c.
 Under Sassafras, Oak, Spice &c.
 50.50 a Beech 20 in. dia.
 67.75 a Branch 4 in. wide course SW
 80.00 lot part cor. of sec. 12 & 13 from which
 a Beech 15 in. dia bears N 75° W 5 lbs. - dist. 8
 an Ash 18, " " S 35° E 21, " "
 Land as last noted, 2^o ratio
-

North on the E. Boundary of Sec. 12, T. 7 N., R. 6 E.

- 7.00 a Branch 4 in. wide course SW
 15.00 a Do 4, " " S 9° W
 27.20 a Hickory 18 in. dia.
 40.00 lot q.s.e. part from which
 a Hickory 20 in. dia bears S 20° E 17 lbs. - dist. 8

S. 7 N., R. 6 E. S. Mer. Ind.

- a Beech 30 in. dia. bears N 57° W 18 Ms. dist.
 Rolling land & rate, timber Beech, Sugar
 Cedar, Spice, Beech &c.
- 46.58 a Branch 4 Ms. wide course S 97° W
- 48.25 a Beech 24 in. dia.
- 58.00 a Branch 5 Ms. wide course S 97° W
- 80.00 Set post cor. of sec. 1 & 12 from which
 a Beech 18 in. dia. bears S 74° E 24 Ms. dist. 8
 a Do 10 " " " N 46° E 11 " "
 Level, timber &c. as last noted

North on the E. Boundary of Sec. 1, S. 7 N., R. 6 E.

- 40.00 Set q. sec. post from which
 a Beech 24 in. dia. bears S 79° W 25 Ms. dist. 8
 a gum 8 " " " N 9° W 18 " "
 57.50 a Branch 20 Ms. wide course S 97° W
- 80.00 Set post cor. of S. 74° E 11, R. 6 E. from which
 a Beech 20 in. dia. bears S 19° W 18 Ms. dist. 8
 an Ash 20 " " " N 11° W 17 " "
 Level land, timber Beech, Poplar, Ash &c.
 Mgr. Beech & Dogwood - 2nd rate land
 Surveyed in 1819 by

John M. Donald
 Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36, S. 7 N., R. 6 E.

- 16.00 Intersect Indian Boundary, set post from which
 a Beech 7 in. dia. bears S 27° E 14 Ms. dist. 8
 a gum 18 " " " S 14° W 20 " "
 Level, Beech, Oaks & Poplar. December 1, 1806
 Surveyed by Jacob Fowler
 Dep. Surveyor

S. 7 N., R. 6 E. L. Mer. Ind^a

34.50 a B. Oak 18 in. dia. Var. 6° 30' E
 40.00 set of sec. post from which
 a W. Oak 18 in. dia bears S 32° E 8 hrs. dist. 8
 a Do 12 " " " N 62° W 28 " "
 60.00 a Beech 12 " "
 80.00 set post cor. of sec. 25, 26, 35 & 36 from which
 a Beech 16 in. dia bears S 8° E 26 hrs. dist. 8
 a Do 12 " " " S 10° W 28 " "
 Flat Gravel land, Beech, W. Oak &c.

East on Random between Sec. 25 & 36

40.00 set trip. of sec. post
 79.70 Intervmt E. Boundary 19 hrs. S. of post -
 Level Gravel land, Beech, Oak, Poplar &
 Msp. Spruce

West connected between Sec. 25 & 36

39.85 set of sec. post at ave. dist. from which
 a Beech 10 in. dia bears N 82° W 19 hrs. dist. 8
 a Do 15 " " " N 62° E 50 " "
 79.70 to sec. cor.

North between Sec. 25 & 26

27.00 a Beech 20 in. dia.
 40.00 set of sec. post from which
 a Beech 12 in. dia bears S 7° E 18 hrs. dist. 8
 a Do 6 " " " S 25° E 17 " "
 60.05 a Do 15 " "
 80.00 set post cor. of sec. 23, 24, 25 & 26 from which
 a Beech 12 in. dia bears S 43° E 20 hrs. dist. 8
 a Do 6 " " " N 39° W 17 " "
 Level Gravel land, Beech, Oak, Poplar &
 Msp. Spruce

S. 7 N., R. 6 E. 2^d Mer. Ind.

East on Random between Sec. 24 & 25

40.00 set temp. of sec. post

80.05 Intersect E. Boundary 50 ft. S. of post -

Broken 3^d rateland, Beech, Poplar, Hickory,
Gum &c. Upr. Beech

West Corrected between Sec. 24 & 25

40.32 set of sec. post at aver. dist. from which
a Beech 20 in. dia bears N 74° E 27 ft. dist. -

a Do 15 " " " S 56° E 28 " "

80.05 to sec. cor.

North between Sec. 23 & 24

22.36 a Beech 20 in. dia.

40.00 set of sec. post from which

a Sugar 10 in. dia bears S 28° W 14 ft. dist. -

a R. Elm 15 " " " N 73° E 10 " "

65.15 a W. Walnut 30 " "

80.00 set post cor. of Sec. 13, 14, 23 & 24 from which
a Beech 10 in. dia bears S 20° W 12 ft. dist. -

a Do 30 " " " S 62° W 15 " "

Rolling 3^d rateland, Beech, Sugar, Poplar, Elm,
Upr. Spice

East on Random between Sec. 13 & 24

40.00 set temp. of sec. post

80.50 Intersect E. Boundary 80 ft. S. of post -

Rolling 3^d rateland, Beech, Poplar, Sugar, Gum
&c. Upr. Spice

West Corrected between Sec. 13 & 24

40.25 set of sec. post at aver. dist. from which

a Sweet Gum 30 in. dia bears N 53° E 14 ft. dist. -

S.Y.N., R. C. D. I. Mor. Ind. a

a Beech 10 in. dia. barks S10 E 12 W. dist.
80.50 to sec. port September 13. 1819

North between Sec. 13 & 14

21.00 a Beech 30 in. dia.

40.00 set of sec. port from which
a W. Ash 30 in. dia. barks S28 W 29 E. dist. 8
a Bur Oak 32, , , N28 E 17, ,

54.54 a Beech 8, ,

80.00 set part cor. of sec. 11, 12, 13 & 14 from which

a Sugar 10 in. dia. barks S13 W 9 E. dist. 8

a Hickory 12, , , S55 E 14, ,

Flat wet 3°. rate land, Beech, Oak, Hickory &c.

East on Random between Sec. 12 & 13

40.00 set temp. of sec. port

80.78 Intersect E. Boundary 100 ft. S. of port -

Level 3°. rate land, Beech, Oak, Hickory - Up. Beech,
Spice Gr.

West Connected between Sec. 12 & 13

40.39 set g. sec. port at aver. dist. from which
a Beech 6 in. dia. barks S74 E 23 W. dist. 8
a Slo 14, , , S80 W 14, ,

80.78 to sec. cor.

North between Sec. 11 & 12

17.77 a Poplar 50 in. dia.

40.00 set of sec. port from which
a Beech 15 in. dia. barks N3 W 15 E. dist. 8
a Slo 14, , , S20 E 11, ,

41.00 enter fallen timber

75.00 leave, ,

T. T. N., R. 6 E. S. Mer. Ind.

70.00 crooked Sand Creek 100 ft. wide runs off
 80.00 set part on. of sec. 1, 2, 11 & 12 from which
 a Hackberry 6 in. dia. bears N 34° W 16 ft. dist. 8,
 a Buckeye 8, , , 982 E 13, ,
 First 1/2 mile S. ratio, last 1/2 mile T. ratio land, very
 brushy, Beech, Sugar, Hackberry &c. Upgrowth
 Spice, Briers &c.

East on Random between Sec. 1d 12

3.50 crooked Sand Creek, runs S 80° W
 10.00 over fallen timber
 24.00 crooked Sand Creek, runs N 90° W
 40.00 set temp. of sec. part
 71.00 leave fallen timber
 80.75 intersect E. Boundary 110 ft. S. of post -
 Over creek slow bottom, Sycamore, Cottonwood,
 Hackberry &c.

West Connected between Sec. 1d 12

9.75 fallen timber
 40.37 set q. sec. post at over. dist. from which
 a Sycamore 30 in. dia. bears N 86 E 26 ft. dist. 8
 a Hackberry 44, , , N 77 E 24, ,
 56.75 to Sand Creek
 60.75 leave fallen timber
 77.25 crooked Sand Creek
 80.75 to sec. on.

North between Sec. 1d 2

20.90 a Beech 24 in. dia.
 40.00 set q. sec. post from which
 a B. Ash 12 in. dia. bears N 71° W 12 ft. dist. 8
 a Gum 30, , , 934 E 17, ,

T. T. N., R. C. O. I^o. Mer. Ind^a

65.77 a Poplar 50 in. dia.
 79.16 Intersect N. Boundary 312 Ms. W. of post -
 set post at intersection cor. of sec. 162 from which
 a Beech 12 in. dia bears S 80 E 22 Ms. dist. 8
 a gum 30 " " " N 5 E 17 " "
 Level 2° rate land, Beech, Sugar, Walnut, Poplar,
 &c. Upr. Spice Cr. September 14. 1819

North between Sec. 34d 35
 34.50 a Beech 20 in. dia.
 40.00 set of sec. post from which
 a W. Oak 30 in. dia bears S 20 W 35 Ms. dist. 8
 a Beech 10 " " " S 54 E 21 " "
 58.76 a Dr 18 " "
 80.00 set post cor. of sec. 26, 27, 34d 35 from which
 a Maple 8 in. dia bears N 47 E 15 Ms. dist. 8
 a Sweet Gum 15 " " " S 8 E 26 " "
 Rolling 3° rate land, Beech, Oak, Gum, Poplar &c.
 Upr. Dogwood, Spice

East or Random between Sec. 26d 35
 40.00 set temp. of sec. post
 80.38 Intersect N. S. line 110 Ms. S. of post -
 Level 3° rate land, Beech, Oak, Hickory, Gum &c.
 Upr. Spice & Greenbrier

West connected between Sec. 26d 35
 40.19 set of sec. post at ave. dist. from which
 a Beech 20 in. dia bears S 85 W 13 Ms. dist. 8
 a Dr 18 " " " S 30 E 34 " "
 80.38 to sec. cor.

North between Sec. 26d 27

T.Y.N., R.C.O.T. Mer. Ind.^a

22.15 a Beech 16 in. dia.

40.00 set q.s.e. port from which

a W. Ash 20 in. dia bears \$84 E 17° lbs. dist 18

a W. Oak 24, " " \$81 97 26 " "

63.72 a Beech 12, "

80.00 set part cor. of sec. 22, 23, 26 & 27 from which

a Beech 16 in. dia bears \$15 97 20 lbs. dist 18

a Do 8 " " \$15 9 E 25 " "

Rolling 3^o rate land, Beech, Oak, Poplar,
Ash &c. Upr. Dogwood, Spice

East on Random between Feb. 23d 26

40.00 set temp. q.s.e. port

80.16 Intersect N. S. line 35 lbs. S. of port -

Rolling 3^o rate land, Beech, Oak, Poplar &c.
Upr. Spice &c.

West corrected between Feb. 23d 26

40.08 set q.s.e. port at aver. dist. from which

a Beech 14 in. dia bears \$32 97 10 lbs. dist 18

a Do 3 " " \$76 E 5 " "

80.16 to see. com

North between Feb. 23d 23

24.75 a Beech 10 in. dia.

40.00 set q.s.e. port from which

a Beech 10 in. dia bears \$95 E 24 lbs. dist 18

a Do 8 " " West 21 " "

64.80 a Do 20 " "

80.00 set part cor. of sec. 14, 15, 22 & 23 from which

a W. Ash 8 in. dia bears \$39 E 25 lbs. dist 18

a Beech 18 " " \$18 97 21 " "

Rolling 3^o rate land, Beech, Oak, Ash, Poplar &c.

J.Y.N., R. C. O. Z. Mer. Ind.

Upr. Spice

East on Random between Sect. 14d 23

40.00 set temp. of sec. post

79.86 Interv. N. S. line 100 ft. S. of post -

Rolling 2° rate land, Beech, Oak, Poplar, Spice

West connected between Sect. 14d 23

39.93 set of sec. post at aver. dist. from which

a Beech 16 in. dia bears N 30° W 4 ft. dist. 8

a Poplar 36 " " " S 13° E 38 " "

79.86 to sec. cor.

North between Sect. 14d 15

27.50 a lynn 18 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia bears S 79° E 24 ft. dist. 8

a Dr 5 " " " N 36° W 4 " "

63.80 a Dr 12 " "

75.00 enter fallen timber

80.00 set post cor. of Sect. 10, 11, 14 & 15 from which

a Beech 10 in. dia bears N 88° E 23 ft. dist. 8

a Dr 12 " " " N 48° W 45 " "

First $\frac{1}{2}$ mile rolling, last $\frac{1}{2}$ mile flat 3° rate,
Beech, Poplar, Oak, Maple - Upr. Dogwood,

Spice September 15. 1819

East on Random between Sect. 11 & 14

13.00 leave fallen timber

40.00 set temp. of sec. post

80.36 Interv. N. S. line 44 ft. S. of post -

Level 2° rate land, Beech, Oak, Sugar Jr., Ulmgrowth
Dogwood, Spice

T.T.N., R.C.O.D. Mar. Ind^a.

West bounded between Sec. 11 & 14

- 40.18 set of sec. posts at aver. dist. from which
a Beech 18 in. dia. bears S82°W 17 ft. dist. 28
a Dr 12 " " " S78°E 11 " "
80.36 to sec. cor.
-

North between Sec. 10 & 11

- 32.24 crossed Sand Creek 100 ft. wide conw S80°W
36.00 leave fallen timber
40.00 set of sec. posts from which
a Lyceumone 36 in. dia. bears S17°E 25 ft. dist. 8
a Dr 48 " " " N70°E 33 " "
61.17 a Beech 18 " "
80.00 set post cor. of sec. 2, 3, 10 & 11 from which
a Sugar 15 in. dia. bears N43°E 19 ft. dist. 8
a Beech 8 " " " S83°W 15 " "
First $\frac{1}{2}$ mile through thickets in fallen timber,
last $\frac{1}{2}$ mile good bottom, Beech, Sugar, Poplar,
Hackberry &c. Upr. Spice &c.
-

East on Random between Sec. 2 & 11

- 40.00 set temp. of sec. posts in edge of a Pond which
lies $\frac{1}{2}$
80.50 Intersect N.Y. line 36 ft. N. of post—
Level T. ratio land, Beech, Sugar, Hackberry,
Walnut, Upr. Spice, Pawpaw
-

West bounded between Sec. 2 & 11

- 40.25 set of sec. posts at aver. dist. ^{in Pond} from which
no Bearing trees
80.50 to sec. cor.
-

North between Sec. 2 & 3

J. J. N., R. G. D. S. Mor. Ind. a.

- 22.11 a Beech 16 in. dia.
 40.00 set of sec. post from which
 a Beech 18 in. dia. bears S34 E 10 Ms. dist. 8
 a Slv 16 " " N64 W 35 " "
 57.36 a Slv 20 " "
 80.00 Intersct N. Boundary 444 Ms. W. of post -
 set post at intersection cor. of Sec. 2 & 3 from which
 a Beech 18 in. dia. bears N31 W 14 Ms. dist. 8
 a Slv 12 " " S38 W 25 " "
 Level 1st prairie land, Beech, Sugar, Oak, Ash,
 Walnut, Poplar &c. Upr. Spice

North between Sec. 33 & 34

- 20.77 a Sugar 18 in. dia.
 40.00 set of sec. post from which
 a Beech 16 in. dia. bears N66 W 28 Ms. dist. 8
 a Slv 14 " " S70 W 32 " "
 60.00 a R. Oak 15 " "
 80.00 set post cor. of Sec. 27, 28, 33 & 34 from which
 a W. Oak 36 in. dia. bears N81 E 17 Ms. dist. 8
 a Beech 8 " " N42 W 30 " "
 Level 3rd prairie land, Beech, W. W. R. Oak &c. Upr.
 Spice, Dogwood &c. September 16. 1819

East on Random between Sec. 27 & 34

- 40.00 set of sec. post (temp.)
 79.22 Intersct N. & S. line 54 Ms. E. of post -
 Level 2nd prairie land, Beech, Oak, Poplar, Walnut,
 Upr. Spice

West connected between Sec. 27 & 34

- 39.61 set of sec. post at aver. dist. from which
 a Beech 8 in. dia. bears S21 E 30 Ms. dist. 8

T. T. N., R. C. E. S^o. Mer. Ind.^a

a Beech 10 in. dia bears N 20° W 18 hrs. dist.
79.22 to sec. cor.

North between Sect. 27 & 28

24.50 a Poplar 30 in. dia.

40.00 set qsec. post from which

a Beech 44 in. dia bears South 5 hrs. dist. 8

a Slo 6 s s s East 3 s s

54.00 a Do 36 s s

80.00 set post cor. of Sect. 21, 22, 27 & 28 from which

a Beech 6 in. dia bears S 45° E 24 hrs. dist. 8

a Slo 15 s s s N 61° W 15 s s

Broken 3^o rateland, Beech, Oak, Hickory, Poplar &
Upr. Spice

East on Random between Sect. 22 & 27

40.00 set temp. q. sec. post

79.14 intersect N & S. line 02 hrs. E. of post -

Flat 3^o rateland, Beech, Oak, Hickory, Gum &
Upr. Spice, Beech &c.

West corrected between Sect. 22 & 27

39.57 set qsec. post at ave. dist. from which

a Beech 20 in. dia bears S 20° W 35 hrs. dist. 8

a Slo 15 s s s N 64° W 27 s s

79.14 to sec. cor.

North between Sect. 21 & 22

26.36 to left bank of Driftwood, set post from which

a Sugar 16 in. dia bears S 74° E 22 hrs. dist. 8

a Slo 24 s s s S 18° W 30 s s

thence up the river

40.00 qsec. cor. in River, no Bearing trees

J.Y.N., R.C.O. T. Mer. Ind^a

- 49.86 set post on left bank of River from which
a Cottonwood 10 in. dia. bears \$32 E 6 Ms. dist. 7,
a Do 8 s s s \$46 W 4 s s
- 58.37 a Blackberry 15 s s
- 80.00 set post cor. of sec. 15, 16, 21 & 22 from which
a Buckeye 8 in. dia. bears \$16 E 39 Ms. dist. 8,
a Blackberry 18 s s s N 44 W 55 s s
Low bottom & river, Sycamore, Walnut, Blackberry,
Buckeye &c. Ulm. Spicet.
-

East on Random between Sec. 15 & 22

- 40.00 set traps. of sec. post
79.40 intersected N. S. line 42 Ms. S. of post -
Sec. 3° nat'l land, Beets, Sugar, Elm &c. Spicet
-

West Connected between Sec. 15 & 22

- 39.70 set q. sec. post at ave. dist. from which
a Beech 12 in. dia. bears \$18 E 31 Ms. dist. 8,
a Sugar 10 s s s \$56 W 4 s s
- 79.40 to sec. cor.
-

North between Sec. 15 & 16

- 25.70 a Blackberry 18 in. dia.
40.00 set q. sec. post from which
a Hickory 8 in. dia. bears N 44 W 21 Ms. dist. 8,
a Buckeye 10 s s s \$44 W 26 s s
- 56.00 enter fallen timber
- 66.08 set post on left bank of Driftwood which
runs N 44 W. from which
a Cottonwood 6 in. dia. bears N 65 W 31 Ms. dist. 8,
a Sycamore 3 s s s N 62 E 40 s s
- 71.25 set post on right bank of river from which
a Blackberry 8 in. dia. bears N 83 E 22 Ms. dist. 8

77 N., R. 6 E. 2^d Mer. Ind.

a Hackberry 5 in. dia bears N 64° E 22 m. dist.
 80.00 set post on sec. of sec. 9, 10, 15 & 16 from which
 a Boxelder 8 in. dia bears N 13° W 5 m. dist. 8
 a Sycamore 10 " " " \$ 72 97 00 "
 Low bottom & River, Sycamore, Hackberry, Boxelder,
 Walnut & Up. Spicet. September 17. 1819

East on Random between Sec. 10 & 15

14.50 crossed Driftwood, runs S
 40.00 set temp. of sec. post
 79.50 intersects N & S. line 30 m. S. of post -
 Level land, all through thickets in fallen timber

West connected between Sec. 10 & 15

39.75 set of sec. post at aver. dist. from which
 no Bearing trees, it being in thicket -
 59.00 set post on left bank of River from which
 no Bearing trees, it being in thicket -
 65.00 set post on right bank from which
 a W. Elm 8 in. dia bears \$ 46 97 28 m. dist. 8
 a Sycamore 6 " " " \$ 73 97 21 "
 79.50 to sec. con.

North between Sec. 9 & 10

7.00 have fallen timber
 36.53 a Buckeye 12 in. dia.
 40.00 set of sec. post from which
 a Hackberry 15 in. dia bears N 54° W 22 m. dist. 8
 a Sycamore 10 " " " \$ 61 83 35 "
 58.50 set post on right bank of Driftwood from which
 a B. Walnut 4 in. dia bears N 45° W 16 m. dist. 8
 a Buckeye 6 " " " \$ 64 80 17 "
 64.00 set post on left bank from which

S. Y. N., R. 6 E. T. Mer. Ind.^a

a Sycamore 10 in. dia. diam S87E21W. dist. 8
a Do 50 " " N40E38 " "

80.00 set post cor. of sect. 3, 4, 9 & 10 from which

a Sycamore 24 in. dia. diam N31W18W. dist. 8
a Do 48 " " S38E13 " "

Low Bottom & River, Sycamore, Cottonwood,
Hackberry, Buckeye & Wsp. Spicewood.

Posts on Random between Feb. 3 & 10

40.00 set temp. of sec. post

79.72 Intersect N.E. line 46 W. S. of post -

Level 1^{to} ratio Bottom, Beech, Sugar, Walnut, Hack-
berry - Wsp. Spicewood Pawpaw

West Garreted between Feb. 3 & 10

39.86 set of sec. post at ave. dist. from which
a Walnut 6 in. dia. diam S61E14W. dist. 8

a Sugar 12 " " S74E28 " "

79.72 to sec. cor.

North between Feb. 3 & 4

16.08 set post on left bank of Driftwood from which
a Bl. Ash 10 in. dia. diam NWest 2W. dist. 8

a Hackberry 6 " " East 2 " "

35.00 up the river to another post on left bank from
which a Willow 18 in. dia. diam N38W18W. dist. 8

a Do 12 " " S62E19 " "

40.00 set of sec. post from which

a Boxelder 6 in. dia. diam S13W30W. dist. 8

a W. Ash 8 " " N49E15 " "

57.83 Hackberry 18 " "

80.68 Intersect N Boundary 522 W. of post -
set post cor. of sect. 3 & 4 from which

T. 7 N., R. 6 E. I^o. Mer. Ind^a

a Cherry 4 in. diameter 9139722 M. dist. 8
 a R. Elm 4 " " " 9809715 " " " " " " " "
 First $\frac{1}{2}$ mile low Bottom of River - last $\frac{1}{2}$ mile
 flat land, Sycamore, Hackberry, Sugar, Ash.
 Up. Spice & Pawpaw

(North between Sec. 32 & 33

- 18.00 to left bank of Driftwood, set post from which
 a Beech 18 in. diameter 5729750 M. dist. 8
 a Sugar 16 " " " N779733 " " " " " " " "
 65.00 up the river and across a sand bar to lower end
 of Tiptons Island
 80.00 set post on upper point of Tiptons Island
 No Bearing trees - September 18. 1819
-

East on Random between Sec. 28 & 33

- 6.81 to left bank of River
 40.00 at temp. of sec. post
 81.00 intersect N. & S. line 190 M. E. of post -
 Hilly Dr. flat land, Beech, Poplar, Oak, Sugar,
 Ash &c. Up. Spice
-

West Started between Sec. 28 & 33

- 40.50 set g. sec. post at aver. dist. from which
 a Beech 24 in. diameter N759720 M. dist. 8
 a Do 8 " " " 55813 " " " " " " " "
 74.19 set post on left bank of River from which
 a Boulder 5 in. diameter 54706 M. dist. 8
 a Do 12 " " " N369759 " " " " " " " "
 81.00 to sec. cor.
-

North between Sec. 28 & 29

- 10.70 set post on right bank of River from which

T. T. N., R. C. O. I^o Mer. Ind^a.

- a Cottonwood 16 in. dia bears N63°W150s. dist. 8
 a Do 8 s s N70°E21 s s
 23.08 a Beech 18 in. dia.
 40.00 set of sec. posts from which
 a Beech 24 in. dia bears N87°W250s. dist. 8
 a Do 12 s s S54°E23 s s
 61.56 a Do 12 s s
 80.00 set post on. of Sec. 20, 21, 28 & 29 from which
 a Beech 12 in. dia bears N27°W360s. dist. 8
 a Do 10 s s S45°E26 s s
 First $\frac{1}{2}$ mile low bottom, last $\frac{1}{2}$ mile 1st rate,
 Sycamore, Beech, Sugar, Hackberry; Ulmgrowth
 Spice, Pawpaw
-

East on Random between Sec. 21 & 28

- 40.00 set temp. g. sec. post
 45.78 to right bank of River
 50.28 to left s s s
 80.74 intersect N & S. line 2140s. S. of post -
 Level 1st rate land, Hackberry, Elm, Buckeye,
 Sugar, Sycamore & Ulpr. Spice
-

West Connected between Sec. 21 & 28

- 29.46 set post on left bank of River from which
 a Cottonwood 12 in. dia bears N11°E150s. dist. 8
 a W. Maple 5 s s S44°W16 s s
 34.96 set post on right bank of River from which
 a Hackberry 6 in. dia bears S43°W150s. dist. 8
 a Do 8 s s N63°E8 s s
 40.37 set of sec. post at aver. dist. from which
 a W. Elm 6 in. dia bears S75°W280s. dist. 8
 a Buckeye 12 s s S40°E5 s s
 80.74 to sec. cor.
-

T.T.N., R. 6 E. 2^o. Mer. Ind.^a

North between Sect. 20 & 21

27.00 a Blackberry 18 in. dia.

40.00 set of sec. post from which
a Bush 20 in. dia. bears S16°W25' dis. 10'
a Do 12, " " N14°E10, "

62.00 a Do 15, "

80.00 set post cor. of sect. 16, 17, 20 & 21 from which
a Blackberry 18 in. dia. bears S60°E11' dis. 10'
a Buckeye 15, " " N60°W15, "
First ratio Bottomland, Beets, Blackberry,
Sugar, Buckeye, Elm &c. Up. Spice, Pawpaw

East on Random between Sect. 16 & 21

40.00 set temp. of sec. post

55.00 to right bank of River

63.00 to left " " "

80.92 intersect N & S. line 34' dis. S. of post -
Low Bottom River, Sycamore, Cottonwood,
Blackberry, Buckeye &c.

West corrected between Sect. 16 & 21

17.92 set post on left bank of River from which
a W. Maple 10 in. dia. bears N66°E9' dis. 10'
a Cottonwood 6, " " S45°W21, "
25.92 set post on right bank of River from which
a Sycamore 10 in. dia. bears S73°W18' dis. 10'
a Cottonwood 12, " " S62°E29, "
40.46 set of sec. post at aver. dist. from which
a Walnut 10 in. dia. bears N68°W12' dis. 10'
a Boxelder 10, " " N65°E14, "
80.92 to sec. cor.

North between Sect. 16 & 17

S.Y.N., R. 6 E. 2^o Mer. Ind.

15.00 enter fallen timber
 40.00 set of sec. post in a thicket in fallen timber,
 No Bearing trees
 58.00 leave fallen timber
 65.80 a W. Ash 12 in. dia.
 80.00 set post cor. of sec. 8, 9, 10 & 17 from which
 a Beech 16 in. dia. leans S 42° W 60°. dist. 18
 a W. Elm 30 s s S 53° E 15° ,
 Bottom land, Beech & Elm, thickets of
 Spice, Hornbeam, Briers &c.

East on Random between Sec. 9 & 16

40.00 set temp. of sec. post
 80.90 intersect N & S. line 275 Mr. S. of post -
 Good Bottom, land 1st rate, Sugar, Beech,
 Ash, Elm, Sycamore; Upr. Spice, Pawpaw

West Connected between Sec. 9 & 16

40.45 set of sec. post at ave. dist. from which
 a Buckeye 12 in. dia. leans S 84° E 18°. dist. 8
 a R. Oak 30 s s S 47° W 15° ,
 80.90 to sec. cor. September 19. 1819

North between Sec. 8 & 9

25.90 a Hickory 20 in. dia.
 40.00 set of sec. post from which
 a Beech 18 in. dia. leans S 76° E 31°. dist. 8
 a Do 24 s s N 61° W 27° s s
 66.38 a Do 24 s s
 80.00 set post cor. of Sec. 4, 5, 8 & 9 from which
 a Beech 20 in. dia. leans N 43° W 31°. dist. 8
 a Buckeye 10 s s S 33° E 11° s s
 First rate Bottom, Beech, Sugar, Ash, Hack-

T. Y. N., R. C. D. I. Mer. Ind.^a

berry, Buckeye &c. Upr. Spice &c.

East on Random between Sec. 44 & 9

40.00 set temp. of sec. part

70.50 to right bank of River

74.96 to left , , ,

81.06 intersect N. S. line 221 Ms. S. of part -

First rate Bottom, Sugar, Hackberry, Ash &c.
Upr. Spice &c.

West Traversed between Sec. 44 & 9

6.10 set part on left bank of River from which
a Cottonwood 10 in. dia. bears S 24° W 8 Ms. dist. 8

 a Do 12, , , N 65° E 10, , ,

10.56 set part on right bank of River from which
No Bearing trees - covered with small Willow
brushes

40.53 lot of sec. part at aver. dist. from which
a Buckeye 10 in. dia. bears East 12 Ms. dist. 8
 a Do 12, , , S 31° W 16, , ,

81.06 to sec. cor.

North between Sec. 44 & 5

22.40 a Buckeye 12 in. dia.

40.00 set of sec. part from which

 a W. Ash 10 in. dia. bears N 79° W 18 Ms. dist. 8

 a R. Oak 12, , , S 34° E 22, , ,

58.50 a Blackberry 18, , ,

81.75 intersect N. Boundary 705 Ms. W. of part -

in a Pond, no Bearing trees

First rate Bottom, Sugar, Beech, Hackberry, Ash &c.
Upr. Spice

J. J. N., R. C. O. 2^o Mer. Ind.

North between Sec. 31 & 32

- 16.75 to left bank of Driftwood, set post from which
No Bearing trees, covered with Willow bushes
- 21.42 to right bank of River, set post from which
a Boxelder 6 in. dia. bears 854 W 14 Ms. dist. 8
a No 5 " " N 10 W 9 " "
440.00 set q.s.e. post from which
a Buckeye 10 in. dia. bears 849 W 8 Ms. dist. 8
a Hackberry 24 " " " 94 E 20 " "
70.07 a W. Ash 30 " "
80.00 set post cor. of sec. 29, 30, 31 & 32 from which
a B. Ash 24 in. dia. bears 981 E 30 Ms. dist. 8
a R. Locust 15 " " " N 37 E 21 " "
First rate Bottom, Walnut, Ash, Hackberry,
Buckeye - Up. Spice

East on Random between Sec. 29 & 32

- 40.00 set temp. q.s.e. post
73.77 to right bank of Driftwood, opposite upper
end of Tipton's Island
- 80.90 intersect N. S. line 68 Ms. N. of post -
First rate Bottom, Walnut, Hackberry, Ash,
Buckeye, Sugar.

West Connected between Sec. 29 & 32

- 7.13 set post on right bank of River from which
a Buckeye 10 in. dia. bears 978 E 25 Ms. dist. 8
a Sugar 18 " " " 923 W 37 " "
40.45 set q.s.e. post at ave. dist. from which
a W. Ash 8 in. dia. bears West 12 Ms. dist. 8
a No - " " " 984 E 10 " "
80.90 to sec. cor. September 20, 1819

T. 7 N., R. 6 E. 3^o Mer. Ind.^a

West between Sec. 30 & 31

32.54 a Sugar 12 in. dia.

40.00 set q.s.e. post from which

a R. Oak 36 in. dia. bears N 77 E 09 m. dist. 8,

a Beech 20, " " " S 77 W 17, " "

62.70 a Do 16, " "

72.50 Intersect N. Boundary 135 m. N. of post -

set post at intersection cor. of Sec. 30 & 31 from which

a Beech 6 in. dia. bears S 25 W 18 m. dist. 8,

a Do 36, " " " S 34 E 12, " "

First $\frac{1}{2}$ mile level, last $\frac{1}{2}$ mile rolling P. rate,
Beech, Sugar, Oak & Upl. Spice

North between Sec. 29 & 30

26.35 a Beech 12 in. dia.

40.00 set q.s.e. post from which

a Beech 30 in. dia. bears N 20 W 27 m. dist. 8,

a Do 36, " " " N 81 W 45, " "

61.30 a Do 20, " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Beech 10 in. dia. bears N 78 E 07 m. dist. 8,

a Do 20, " " " S 40 W 28, " "

Level P. rate land, Beech, Sugar, Oak, Poplar
& Upl. Spice

East on Random between Sec. 20 & 29

40.00 set temp. q.s.e. post

81.00 Intersect N. S. line 60 m. N. of post -

Level P. rate land, Beech, Sugar, Locust &
Upl. Spice, Pawpaw

West bounded between Sec. 20 & 29

40.50 set q.s.e. post at ave. dist. from which

S. J. N., R. C. E. 2^o Mer. Ind.

a Beech 12 in. dia. bears N 12° W 21 ft. dist. 8
 a Sugar 10 " " " \$33.00 11 " "
 81.00 to sec. cor.

West between Sec. 19 & 30

16.00 a W. Ash 40 in. dia.
 40.00 set of sec. post from which
 a Gum 24 in. dia. bears N 50° E 8 ft. dist. 8
 a Maple 8 " " " \$15.00 " "
 57.84 a Beech 12 " "
 72.80 Intersect W. Boundary 26 ft. S. of post -
 set post at intersection cor. of sec. 19 & 30 from which
 a Gum 12 in. dia. bears S 81° E 14 ft. dist. 8
 a Beech 20 " " " \$11.00 12 " "
 Level wet 3^o rate land, Beech, Oak, Gum, Hick-
 ory &c. Upr. Spice

North between Sec. 19 & 20

21.38 a Beech 12 in. dia.
 40.00 set of sec. post from which
 a Beech 18 in. dia. bears N 60° W 3 ft. dist. 8
 a Dogwood 4 " " " N 29° E 8 " "
 60.00 enter fallen timber
 80.00 Set post cor. of sec. 17, 18, 19 & 20 from which
 a Hornbeam 6 in. dia. bears N 65° W 32 ft. dist. 8
 a Cherry 4 " " " N 84° E 44 " "
 Level 2^o rate land, Beech, Oak, Hickory &c.
 Upr. Spice

East on Random between Sec. 17 & 20

40.00 set of sec. post (temp.)
 80.00 Intersect N. S. line 30 ft. N. of post -
 Level 2^o rate land, Beech, Sugar, Oak &c. Spice &c.

T.Y.N., R. 6 E. 2^d Mer. Ind.^a

West barreled between Sect. 17 & 20

40.33 set of sec. post at aver. dist. from which
a Beech 12 in. dia. beam \$21975 lbs. dist. 28
a Sugar 15 " " " 980 E 16 " "
80.66 to sec. cor.

West between Sect. 18 & 19

18.86 a Beech 12 in. dia.

40.00 set of sec. post from which
a Beech 10 in. dia. beam \$129718 lbs. dist. 28
a W. Oak 8 " " " 160 E 6 " "

56.50 a Do 12 " "

73.12 intersect N. Boundary at post -

First 1/4 mile level 3rd rate - last 1/2 mile swampy
Beech, Oaks, Gum, Maple &c. Ulm. Spica, Beech &c.
September 21. 1819

North between Sect. 17 & 18

15.00 have fallen timber

30.50 a Beech 15 in. dia.

40.00 set of sec. post from which

a Hornbeam 6 in. dia. beam \$519714 lbs. dist. 28
a B. Walnut 20 " " " 965 E 25 " "

64.27 a Beech 10 " "

80.00 set post cor. of Sect. 18, 17 & 18 from which

a Beech 10 in. dia. beam \$55 E 20 lbs. dist. 28

a Do 6 " " " 976 77 7 " "

Level 1st rateland, Beech, Sugar, Ash &c. Spica

East on Random between Sect. 8 & 17

40.00 set temp. of sec. post

80.10 intersect N. S. line 92 lbs. N. of post -

Level 1st rateland, Beech, Sugar, Ash, Poplar &c.

S. T. N., R. C E. S. Mer. Ind.

Upr. Spice

West Garreted between Sec. 8 & 17

- 40.05 set of sec. post at aver. dist. from which
 a Horsebeam 6 in. dia. bears N 79° E 11 lbs. dist. 8
 a Beech 15, " " " 968 ft. 46, " "

80.10 to sec. cor.

West between Sec. 7 & 18

- 18.18 a Beech 20 in. dia.
 40.00 set of sec. post from which
 a W. Elm 30 in. dia. bears N 43° E 28 lbs. dist. 8
 a Poplar 36, " " " 953 ft. 31, " "
 61.50 a Beech 10, " "
 73.50 Intered W. Boundary 245 lbs. S. of post -
 set post at intersection cor. of Sec. 7 & 18 from which
 a Beech 12 in. dia. bears N 44° E 13 lbs. dist. 8
 a Ald 12, " " " 945 ft. 5, " "
 First $\frac{1}{2}$ mile 1st rate, last $\frac{1}{2}$ mile 2nd rate -
 Beech, Sugar, Poplar, Hackberry, Ash & Upr.
 Spice, Pawpaw
-

North between Sec. 7 & 8

- 14.91 a Beech 12 in. dia.
 40.00 set of sec. post from which
 a Coffeemt 18 in. dia. bears S 44° E 20 lbs. dist. 8
 a Hackberry 6, " " " 948 ft. 9, " "
 57.03 a Beech 24, " "
 80.00 set post cor. of Sec. 5, 6, 7 & 8 from which
 a Beech 12 in. dia. bears S 10° E 23 lbs. dist. 8
 a W. Oak 40, " " " N 51° E 36, " "
 Level 2nd rate land, Beech, Oak, Poplar & Spice &
-

T. 7 N., R. 6 E. I. Mer. Ind. a.

East on Random between Sect. 5 & 8

40.00 set temp. of sec. post

80.00 intersect N. S. line 18 m. S. of post -

Front T.^o state land, Beech, Sugar, Poplar, R. Oak
W. Upr. Spice & Pawpaw

West Corrected between Sect. 5 & 8

40.30 set q. sec. post at aver. dist. from which
a Beech 20 in. diameter S 20° 47' 18 m. dist. &
a Do 10 " " " N 47° 47' 20 " "

80.00 to sec. cor.

West between Sect. 6 & 7

19.97 a Beech 20 in. dia.

40.00 set q. sec. post from which
a W. Oak 18 in. diameter East 40 m. dist. &
a Do 15 " " " S 61° 47' 30 " "

71.13 a Beech 20 " "

72.37 intersect W. Boundary 212 m. S. of post -
set post cor. of Sect. 6 & 7 from which
a W. Ash 18 in. diameter S 70° E 40 m. dist. &
a Beech 12 " " " S 11° E 6 " "
Broken T.^o state land, Beech, Oak, Poplar &
Upr. Spice

North between Sect. 5 & 6

19.78 a Beech 12 in. dia.

40.00 set q. sec. post from which

a Beech 10 in. diameter N 35° 47' 13 m. dist. &
a Do 18 " " " S 53° 47' 11 " "

60.56 a Do 12 " "

81.56 intersect N. Boundary 754 m. W. of post -
set post at intersection cor. of Sect. 5 & 6 from which

J. T. N., R. C. D. T. M. & Co. Ind.

a Maple 18 in. dia bears N 28° E 14 ft. dist. 8
 a Beech 12 " " " S 28° W 18 " "
 Broken 3° into land, Beech, Oak, Hickory etc.
 Upr. Dogwood &c. September 22, 1819

Meanders of Driftwood or East fork of
 White River. Commenced on S. Boundary,
 thence left bank up stream:

<u>Courses</u>	<u>Distr.</u>	<u>Remarks</u>
-----	-----	to port in line between Sec. 31 & 32 No Bearing trees
N 80° E	5.23	In Sec. 32
S 64° E	4.30	
S 86° E	7.30	
S 66° E	10.95	
N 69° E	10.00	
N 18° E	18.38	
N 64° E	7.20	
S 58° E	12.28	
S 40° E	8.10	
-----	-----	to port in line between Sec. 32 & 33 (a Sugar & Beech)
N 35° E	17.50	In Sec. 33
N 15° W	12.00	
-----	-----	to port in line between Sec. 28 & 33 (2 Boxeldens)
North	6.45	In Sec. 28
N 69° E	20.70	
N 50° E	14.30	
N 24° E	13.75	

T. 7 N., R. 6 E. 2^o Mer. Ind.

N29W 17.40
N67E 7.75
N85E 14.00
N36E 10.20
North 8.00

----- to post in line between Sec. 21 & 28

N10E 10.08
In Sec. 21
N65E 28.60

----- to post in line between Sec. 21 & 22
A Sugar & Hornbeam

N28E 19.00
In Sec. 22

----- to post in line between Sec. 21 & 22
2 Cottonwoods

N45W 28.50
In Sec. 21 — to post in line between Sec. 16 & 21 A Maple & Cottonwood

N42E 17.50
In Sec. 16

N8W 12.26

N58W 19.00

North 9.20

N35E 12.60

----- to post in line between Sec. 15 & 16
A Sycamore & Cottonwood

N62E 11.00
In Sec. 15

----- to post in line between Sec. 10 & 15
In a thicket in fallen timber

N13E 24.00
In Sec. 10 — to mouth of Sand Creek comes from the East 12.5 Mr. wide

S. 7 N., R. 6 E. 2^o Mer. Ind.^a

N24W 16.00	
N53W 18.00	
N8W 6.30	
----- -----	to post in line between Sec. 9 & 10 2 Sycamores
----- -----	In Sec. 9 - to post in line between Sec. 44 & 9 2 Cottonwoods
N11E 14.80	In Sec. 44
----- -----	to post in line between Sec. 3 & 44 A Blue Ash & Hackberry
N36E 12.26	In Sec. 3
----- -----	to post in line between Sec. 9 & 14 / 2 Willows
N50W 17.00	In Sec. 44
N7W 18.00	
----- -----	to post in N. Boundary on left bank September 23, 1819
N5W 10.00	Right bank up stream. Commenced at post in S. Boundary, thence:
	In Sec. 31
----- -----	to post in line between Sec. 31 & 32 2 Box Elders
N70E 6.00	In Sec. 32
N74E 5.20	
East 4.70	
S63E 10.30	
N61E 11.60	
N20E 18.50	

T. 7 N., R. 6 E. I^o Mer. Ind.

N62E 7.40
N57E 12.16
N41E 7.96
N64E 18.00
N34E 17.00
N17W 13.00

----- to post in line between Sec. 29 & 32
A Buckeye & Sugar

----- In Sec. 29 - to post in line between Sec.
28 & 29 2 Cottonwoods

N71E 20.00	In Sec. 28
N47E 14.50	
N25E 13.50	
N28W 17.30	
N68E 8.00	
N83E 14.50	
N38E 10.40	
N69W 7.80	

----- to post in line between Sec. 21 & 28
2 Hackberries

N12E 11.00	In Sec. 21
N64E 28.00	
N25E 9.00	
N10E 18.80	
N45W 39.60	

----- to post in line between Sec. 16 & 21
A Sycamore & Cottonwood

N41E 17.00	In Sec. 16
N9W 12.20	

S. J. N., R. C. O. I.^o Mer. Ind. a.

N59W 18.75

N2E 10.00

N36E 13.00

----- to post in line between Sec. 15 & 16
2 Hackberries

----- In Sec. 15 - to post in line between Sec.
10 & 15 2 Elms

N12E 23.00 In Sec. 10 - opposite mouth of Land Cr.

N25W 15.75

N33W 18.20

N38W 6.50 to post in line between Sec. 9 & 10
734¹ A Buckeye & Walnut

----- In Sec. 9 - to post in line between Sec.
4 & 9 No Bearing trees

N10E 14.50 In Sec. 4

N45E 4.20

N37E 12.00

N28W 8.40

N48W 10.00

N8W 18.20

----- to post in N. Boundary on right bank
September 24, 1819 Surveyed by
B. F. Morris
Dep. Surveyor.

What Meanders! Transcriber -

T. J. N., R. C. E. L. M. M. Ind.^a

I certify that the foregoing transcript of
Field Notes of the survey of Township N^o. 7
North in Range N^o. 6 East of the S. Princip-
al Meridian, in the State of Indiana, has
been compared with the original on file in
this office, and found to be correct.

Surveyor General's Office, R. S. Dainger
Cincinnati, March 31. 1842.

Sur. Genl.